




PRIZOR

PV-IPVDP0207

IP VILLA DOOR STATION & INDOOR DISPLAY



KEY FEATURES

- IP Villa Door Station
- High definition camera; WDR
- IP65 (Silicone sealant is needed. For details, see the quick start guide.)
- Supports auto IR illumination and D/N
- Supports two-way voice call, support calls between door stations and app
- Tamper Alarm
- Support standard PoE power supply
- Control two locks
- IPC surveillance
- Alarm integration
- High performance
- Support standard PoE
- Quick configuration without computers
- Remote Access: Remote video talk and remote unlock via Tuya and Smart-life app.
- Security Monitoring: Door station with infrared night vision
- motion detection Record: Supports up to 128GB Micro SD card for storing photos and videos.



IPS Display



Touch Screen



Two-way
Audio



Remote
Unlock



Max 128G
SD Card



1080P



Ethernet
Connection



POE Power
Supply



Photo/Video
Recording



Zone Alarm



Polyphonic
Ringtone



Internal
Intercom System



Monitor



APP Support



1800-123-3699



www.prizor.in



TECHNICAL SPECIFICATION

Model	PV-IPVDP0207
	Door Station
Operation system	Linux operation system
Camera	1080P
Night vision	Auto IR
Day/Night	ICR auto switch
Field of view	115°
Audio input	1 microphone, pickup distance < 0.5 meters
Audio output	1 speaker
Audio intercom	Two-way audio communication
Communication Mode	IP
Tranmission Signal	TCP/IP
Tranmission Distance	≥100 meters
Connection	Network cable, CAT 5/CAT 6
Unlock mode	Tuva App, Indoor Monitor, Cards
Card type	13.56MHz IC/NFC
Motion detection	Supported, and set on Indoor Monitor
Lock Control	2 Ports
Power supply	Power from indoor monitor
Power consumption	<5 W
Working temperature	-40 °C to 70°C
Working humidity	10% to 95%
Color	Iron Grey
Materials	ABS plastic panel + Zinc alloy ring bell



TECHNICAL SPECIFICATION

Model	PV-IPVDP0207
	Door Station
Accessory	Plastic Rain cover (included); Angel Bracket can be provided
Protection level	IP65 Weatherproof
Dimension	60 mm * 62 mm * 37 mm
Installation	Surface mounting/Wall-mounted
Indoor Monitor	
Operation system	Linux operation system
Display screen	7" IPS HD Screen
Display resolution	1024*600
Audio input	1 microphone, pickup distance< 0.5 meters
Audio output	1 speaker
Audio intercom	Two-way audio communication
Audio quality	Noise suppression and echo cancellation
Communication Mode	IP
Tranmission Signal	TCP/IP
Distance	≥100 meters
Connection	Network cable, CAT 5 / CAT 6
WiFi	2.4G WiFi
Mobile App	Tuya or Smart life app
Language	English, Russian, Ukrainian, Polish, Portuguese, Arabic, Hebrew, French, German, Spanish, Italian, Czech, Turkish
Ringtone	10 Ringtones
Memory card	Max 128GB Micro SD card
Record	Photo/Video record





PRIZOR



PV-IPVDP0207

IP VILLA DOOR STATION & INDOOR DISPLAY

TECHNICAL SPECIFICATION

Model	PV-IPVDP0207
CCTV Camera	20 IP Cameras via ONVIF protocol
Power supply	DC 18V 1A/ Customized internal power transformer(AC 110V-240V)
Power consumption	<6 W
Working humidity	10% to 90%
Color	Black + Silver Edge
Materials	ABS Plastic / Fireproof material when using nternal power
Accessory	Bracket (include)
Dimension (LWH)	217 mm^ * 122 mm^ * 25mm
Installation	Surface mounting/Wall-mounted

Size



1800-123-3699



www.prizor.in






PRIZOR

PV-IPVDP0207

IP VILLA DOOR STATION & INDOOR DISPLAY

System Diagram:



What's Included the kit?



Package * 1



Rain cover * 1



Call panel * 1



Indoor Monitor * 1



Power Adaptor * 1



Mounting Bracket * 1



User Manual * 1



1800-123-3699



www.prizor.in