

PV-PC02-LP

**2MP PLUG & PLAY
POCKET CAMERA**

Overview

2MP Pocket Camera

Offline recording support only

TF Card Support up to 128GB

3.7V, 1000MAH Battery Inbuilt

**Basically Use for Meetings, Traffic Police,
News Reporter, Banker & Security Guard**

Inbuilt Mic Supported

Plug & Play Device

Auto-recording upon power on



PV-PC02-LP

2MP PLUG & PLAY POCKET CAMERA



SPECIFICATION

Category	Feature	Specification
Model	Model	PV-PC02-LP
Solution	Solution	JT5295
Maximum Pixels	Video Resolution	HD (1280*720)
	Photo Resolution	FHD (1920*1080) Interpolated
Video Format	Video Format	AVI
	Image Format	JPG
Camera	Image Sensor	JX-H635: 1/4" HD CMOS Image Sensor
	Camera Quantity	1
Storage	External Storage Support (TF Card)	TF Card external support up to 128GB
Microphone	Microphone	Supported
WIFI	2.4GHz WIFI	Not Supported
Mobile APP	DvLink	Not Supported
LED Auxiliary Light	LED Patch Flash	Not Supported
Interface	Interface	8pin miniUSB Interface / TF Card Interface
Power	Battery Type	Built-in Lithium Battery
	Battery Capacity	3.7V, 1000mAh (360 minutes recording when fully charged)
	Maximum Power Consumption	As per actual measurement
	Power Supply/Charging Device	Supply Voltage: 5.0V; Supply Current: 300mA
	OVP	Not Supported
USB Port	PC Function	Supported
	USB	Supported



PV-PC02-LP

2MP PLUG & PLAY POCKET CAMERA



SPECIFICATION

Category	Feature	Specification
Software	Software Function Features	Recording Resolution: 1080P (1920 * 1080) Interpolated
		Power Key: Slide switch for ON/OFF
		Auto-recording upon power on
		Photo Key: Press to capture photo
		Left/Right Keys: Press to stop recording and enter album; inalbum mode, press to switch media files; long presstoexit album mode and start auto-recording
System	System	RTOS
Dimensions	Bare Device Dimensions	85mm * 33mm * 11mm
Packaging	Package Dimensions	140mm * 80mm * 40mm
	Net Weight	44gm
	Quantity	1
	Gross Weight	116gm
Standard Accessories	Standard Accessories	Magnet and User Manual

