

PZT4KFL-98FAS-WOS**85"**

KEY FEATURES

- ◆ PRIZOR 4K SMART TV 98 INCH
- ◆ SUPPORTED APPS: NETFLIX, YOUTUBE, PRIME VIDEO, DISNEY+ HOTSTAR
- ◆ OPERATING SYSTEM: WEBOS
- ◆ CONNECTIVITY: 3 HDMI AND 2 USB PORTS
- ◆ SOUND: 10 WATTS SPEAKERS WITH DOLBY AUDIO AND DTS VIRTUAL X
- ◆ SIZE 98 INCH 249 CM
- ◆ ROM-8 GB & RAM – 1.5GB
- ◆ 4K RESOLUTION SUPPORTED



SPECIFICATION

Model		PZT4KFL-98FAS-WOS	
Screen Size		249 cm	
Screen Type with resolution		UHD-3840*1920	
Toughened Glass Protection		Yes	
Aspect Ratio		16:9	
Contrast Ratio		20,00,000:1	
Mounting Type		Wall Mount	
Open Cell		LG (LD980DQY-SNA2)	
Viewing Angle		178° (H)/178° (V)	
Response Time		8.0 msec	
Android Features			
Solution		MLOGIC/T972	
Main Board			
CPU		A55/1.9GHz (Quad core)	
CPU FREQ.		1.9GHz	
GPU		Mali-G31 MP2	
GPU FREQ.		800MHz	
ROM		8GB	
RAM		1.5 GB	
LAN		RJ-45	
Wi-Fi		2.4 GHz	
I/O PortsQty			
AV IN	2	RCA	
Optical - out	1	Optical	
USB	2	V-2.0	
HDMI	3	Standard	
Line out/Ear Phone	1	3.5 mm socket	



SPECIFICATION

Model		PZT4KFL-85FAS-WOS
RF IN (Optional)	1	75 ohms
Wi-Fi	Yes	2.4GHz + 5.0GHz
LAN	Yes	RJ-45
Brightness		> 400 nits
Viewing Angle		178° (H)/178° (V)
Response Time		8.0 msec
Sound O/p		2*10W, 8 Ohm
Speaker		34*94-8E/10W Box SPK
Preload Apps		Yes
Screen cast / Eshare		Yes
Voice Command Function (Selected)		Supported
Bluetooth (1 way)		Supported
Cloud TV UI		Supported (with movie box 10000+ movies)
OSD Language		English
Video Input - CBVS		
Color System		PAL, SECAM
Video		1Vp-p @75 Ohm +5%
Audio		500mV RMS
Video Input - PC-RGB		
Sync		H:30-75KHz, V:56-75Hz
Video		0.7Vp-p @ 75ohm
Resolution		Up to 3840*2160@60Hz
Video Input - HDMI		
Viewing Angle		Standard TDMS format
Response Time		480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p/i



SPECIFICATION

Model		PZT4KFL-85FAS-WOS	
Viewing Angle		178° (H)/178° (V)	
Response Time		8.0 msec	
Sound O/p		2*10W, 8 Ohm	
Speaker		34*94-8E/10W Box SPK	
Preload Apps		Yes	
Screen cast/ Eshare		Yes	
Voice Command Function (Selected)		Supported	
Bluetooth (1 way)		Supported	
Cloud TV UI		N	
OSD Language		English	
USB Multimedia Playback Format			
Media	File	Video	Audio
Movie	.avi	MJPEG MPEG-2, MPEG-4, H.265	MP3, AAC, MP2, PCM
	.mp4	MPEG-2, MPEG-4, H.265	
	.ts/.tr	MPEG-2, H.265	
	.mkv/mov	MPEG-2, H.264	
	4K	H.265/HEVC/MPEG-4- FPS-30	
	.mpg	MPEG-2, H.265	
	.dat	MPEG-1	MP2
	.vob	MPEG-2	
	.rm/.rmvb	RV8, RV9, RV10	COOK
Music	.mp3	-	MP3
	.m4a/.aac	-	AAC
Photo	.jpg/.jpeg	Progressive JPEG	Max Resulation 1024*768
		Baseline JPEG	Max Resulation 1920*1080
	.bmp		Max Resulation 15360*8640
	.png	Non-Interlaced	Max Resulation 4000*4000



SPECIFICATION

Model	PZT4KFL-98FAS-WOS
Electrical Specifications	
Voltage	100~240V AC
Current	2.0A max
Frequency	50Hz/60Hz +5%
Inrush Current (Cold Start)	70A type peak, 230V ac
Efficiency (full load)	80% (full load with 230Vac)
Leakage Current	Less than 0.5mA, 230Vac input
Input Fuse	T5A/250Vac
Max Power Consumption	< 440 watt
Stand-by Power Consumption	<1W
Net Weight	82.5Kgs (Approx.)
Gross weight	115.0 kg (approx.)
Net Dimension(mm)	2180 x 1234 x 95
Gross Dimension(mm)	2380 x 1450 x 290

