

PZTFHD-32FAS-WOS**32"**

KEY FEATURES

- ◆ PRIZOR SMART TV 32 INCH
- ◆ SUPPORTED APPS: NETFLIX, YOUTUBE, PRIME VIDEO, DISNEY+ HOTSTAR
- ◆ OPERATING SYSTEM: WEBOS
- ◆ CONNECTIVITY: 2 HDMI AND 2 USB PORTS
- ◆ SOUND: 10 WATTS SPEAKERS WITH DOLBY AUDIO AND DTS VIRTUAL X
- ◆ SIZE 32 INCH 80 CM
- ◆ ROM-8 GB & RAM – 1.5GB
- ◆ FHD RESOLUTION SUPPORTED



SPECIFICATION

Model		PZTFHD-32FAS-WOS	
Screen Size		80 cm	
Screen Type with resolution		FHD-1920*1080P(Supported)	
Aspect Ratio		16:9	
Contrast Ratio		20,00,000:1	
Open Cell		BOE/AUO	
Android Features			
Chipset		RTD2874SFA-GR	
OS		Web OS 3.0	
Main Board		RT2874.PC821 (T)	
ROM/Flash		8GB	
RAM/DDR 3		1.5GB	
LAN		RJ-45	
Wi-Fi		2.4 GHz & 5 GHz	
Connectivity Features		Qty	
AV IN	1	RCA	
Optical - out	1	Optical	
USB	2	V-2.0	
HDMI	2	Standard	
EarPhone	Yes	3.5 mm socket	
RF IN (Optional)	Yes	75 ohms	
Wi-Fi (Dual band)	Yes	2.4GHz + 5.0GHz	
LAN	Yes	RJ-45	
FEATURES			
Brightness		> 250 nits	
Viewing Angle		178° (H)/178° (V)	



SPECIFICATION

Response Time	8.0 msec
Sound O/p	2x10W(8Ω) THD+N<10% Audio Input: 1KHz @0.5Vrms
Speaker	30*70-8E/10W Box SPK
Preload Apps	Yes
Miracast	Yes
ThinQ AI	Yes
Bluetooth Support	2.1+EDR/4.2/5.
Voice command support (as per webOS)	Yes
alexa support	Yes
Dolby Audio	Yes
Magic remote	Yes
OSD Language	English
Video Input-TV	
Video System	PAL
Sound System	BG, DK, I
Storage Channel	99+
Video Input - CBVS	
Color System	PAL, SECAM
Video	1Vp-p @75 Ohm +5%
Audio	500mV RMS
Video Input - PC-RGB	
Sync	H:30-75KHz, V:56-75Hz
Video	0.7Vp-p @ 750Ohm
Resolution	Up to 3840*2160@60Hz
Video Input - HDMI	
Video	Standard TDMS format
Resolution	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p/i



SPECIFICATION

USB Multimedia Playback Format			
Media	File	Video	Audio
Movie	.avi	MJPEG MPEG-2, MPEG-4, H.265	MP3, AAC, MP2, PCM
	.mp4	MPEG-2, MPEG-4, H.265	
	.ts/.tr	MPEG-2, H.265	
	.mkv/mov	MPEG-2, H.264	
	4 K	H.265/H.264/MPEG-4-FPS-30	
	.mpg	MPEG-2, H.265	
Model		PZTFHD-32FAS-WOS	
Music	.mp3	-	
	.m4a/.aac	-	
Photo	.jpg/.jpeg		Progressive JPEG
			Baseline JPEG
	.bmp		
	.png		Non-Interlaced
Input Electrical Specifications			
Voltage		100~240V AC	
Current		1.8A MAX	
Frequency		50HZ/60HZ +5%	
Inrush Current (Cold Start)		70A TYPE PEAK, 230V AC	
Efficiency (Full Load)		80% (FULL LOAD WITH 230VAC)	
Leakage Current		LESS THAN 0.5MA, 230VAC INPUT	
Standby Power Loss		< 0.5W 230VAC INPUT AND NO LOAD	
Input Fuse		T3.15AL/250VAC	



SPECIFICATION

Model	PZTFHD-32FAS-WOS
Output Electrical Specifications	
Max Power Consumption	55W MAX (O/P)
Net Weight	3.8KGS (APPROX.)
Gross Weight	5.75KG (APPROX.)
Net Dimension(Mm)	720 X 425 X 90
Gross Dimension(Mm)	795 X 510 X 138

